REQUEST FOR QUOTATION (This is NOT an Order)		This RFQ is X	is no	t a small business s	et-as	side			Page	1 Of 10	
1. Request No.		ate Issued	3. Requisition/Purchas	e Rea	uest No.	4. (Cert For Nat D	ef. Under BDS	A .	Rating	<u> </u>
W56HZV-04-Q-0731		2004FEB12 See Schedule					Reg. 2 and/or DMS Reg. 1				DOA4
5A. Issued By	Issued By						6. Deliver by		•		
TACOM WARREN BLDG 231 W56HZV								See Sc	hedule		
AMSTA-AQ-AHPB WARREN, MICHIGAN	N 48397-5000						7. Delivery				
,									_		
							X FOB		U Otl	ner	
5R For Information	Call: (Name s	and telephone	no.) (No collect calls)				Destination)N			
DEE KLAFT		586)574-725									
EMAIL: KLAFTD@TA											
8. To: Name and Ad	dress, Includi	ng Zip Code						n (Consignee a	nd addr	ess, in	cluding
							Zip Code)				
								g g			
								See Sc	hedule		
		_									
10. Please Furnish of the Jaguing Office in			NT: This is a request for								
the Issuing Office in or Before Close of B			cate on this form and re sts incurred in the prep								
(Date)			e of domestic origin unle								
2004MA	KU4	to this Req	uest for Quotation must	be co	mpleted by the quo	ter.					
		1:	1. Schedule (Include app	licabl	e Federal, State, a	nd lo	cal taxes)				
Item Number		Supplies	/Services		Quantity		Unit Unit Price			Amount	
(a)		(b)		(c)		(d)	(e)			(f)
	(See Schedule)										
12. Discount For Pro	ompt Payment	,	a. 10 Calendar Days %		b. 20 Calendar Da	ys %	c. 30 Cale	endar Days %			dar Days
			% 0			70		70	Numl	Jei	Percentage
NOTE: Additional						-					
13. Name and Address of Quoter (Street, City, County, State and Zip Code)				Signature of Person Quotation	n Au	thorized to Sig	n	15. Date	of Qu	otation	
							16. Si	igner			
ļ			a. N	ame (Type or Prin	t)	10.0	9	b	. Tele	phone	
					Area Code						
			c. T	itle (Type or Print))			Number			
AUTHORIZED FOR LOCAL REPRODUCTION						Stand	lard Form 18 (Rev. 8-9	5)		

Reference No. of Document Being Continued PIIN/SIIN $^{W56HZV-04-Q-0731}$ MOD/AMD

Page 2 of 10

Name of Offeror or Contractor:

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	SUPPLIES OR SERVICES AND PRICES/COSTS				
0001	NSN: 6150-01-422-2585 FSCM: 06085 PART NR: 12366232-2 SECURITY CLASS: Unclassified				
001AA	PRODUCTION QUANTITY	17	EA	\$	\$
	CLIN CONTRACT TYPE: Firm-Fixed-Price NOUN: WIRING HARNESS PRON: EH492682EH PRON AMD: 01 AMS CD: 070011				
	Packaging and Marking PACKAGING/PACKING/SPECIFICATIONS: SEE PACKAGING CLAUSE LEVEL PRESERVATION: Military LEVEL PACKING: B				
	Inspection and Acceptance INSPECTION: Origin ACCEPTANCE: Origin				
	Deliveries or Performance DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV33642603 W25G1U J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 9 0090				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS (W25GlU) XU TRANSPORTATION OFFICER DDSP NEW CUMBERLAND FACILITY BUILDING MISSION DOOR 113 134 NEW CUMBERLAND PA 17070-5001				
	DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 002 W56HZV33642604 W62G2T J 2 DEL REL CD QUANTITY DAYS AFTER AWARD 001 4 0090				
	FOB POINT: Destination				
	SHIP TO: FREIGHT ADDRESS (W62G2T) XU DEF DIST DEPOT SAN JOAQUIN 25600 S CHRISMAN ROAD REC WHSE 10 PH 209 839 4307 TRACY CA 95376-5000				

Reference No. of Document Being Continued PIIN/SIIN W56HZV-04-Q-0731 MOD/AMD

Page 3 **of** 10

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Page 4 of 10

Name of Offeror or Contractor:

CONTRACT CLAUSES

Regulatory Cite	Title	Date
52.211-4015	CONFIGURATION CONTROLENGINEERING CHANGES	JUL/2002

(a) DEFINITIONS:

- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request before you deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
 - (3) Value Engineering Change Proposal (VECP). A proposal that --
 - (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
 - (A) In deliverable end item quantities only;
 - (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
 - (C) To the contract type only.
 - (4) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECPs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDDs) which can be found at the following website: http://contracting.tacom.army.mil/engr/engrchange.htm. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
 - (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is (JT).
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 100 megabyte Zip*-disk, 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
 - (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECPs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.
 - (d) Submittal Procedures for ECPs/VECPs/RFDs.

CONTINUATION SHEET	Reference No. of Document Being Continued	Page 5 of 10
CONTINUATION SHEET	PIIN/SIIN W56HZV-04-Q-0731 MOD/AMD	

Name of Offeror or Contractor:

- (1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.
- (2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

ECPs, VECPs, and RFDs. Email a copy of the contractor's request and ACO comments (DD Form 1998) to the engineer (majewskv@tacom.army.mil) and the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

- (f) Approval of ECPs, VECPs and RFDs.
- (1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.
- (2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.
 - (3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.
- (g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.
- (h) Reminder Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.
 - (i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.
 - (j) Questions.
- (1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (OAR).
- (2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155

[End of Clause]

- 2 52.211-4516 PACKAGING REQUIREMENTS (SELECTIVE GROUP PACKAGING REQUIREMENTS) SEP/2003 (TACOM)
- (a) Military preservation, packing, and marking for this contract shall be accomplished in accordance with the specific requirements identified below and all the applicable requirements of MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 including Notice 1, Dated 10 May 2002.
 - (1) LEVEL OF PRESERVATION: Military
 - (2) LEVEL OF PACKING: B
 - (3) QUANTITY PER UNIT PACKAGE: 001
- (b) MIL-STD-2073-1, Appendix J establishes and defines codes used in describing military packaging methods and materials. The following codes from Appendix J apply:

~~-				~
('')	ויוין או		\mathbf{I}	SHEET
			1111	171111111111

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Page 6 of 10

Name of Offeror or Contractor:

- (1) Preservation Method Code: 31 (Table j.i. and j.ia.)
- (2) Cleaning Procedure Code: 1 (Table j.ii)
- (3) Preservative Material Code: 00 (Table j.iii)
- (4) Wrapping Material Code: EB (Table j.iv)
- (5) Cushioning and Dunnage Code: DA (Table j.v)
- (6) Thickness of Cushioning or Dunnage Code: 0 (Table j.vi)
- (7) Unit Container Code: BL (Table j.vii)
- (8) Intermediate Container Code: ED (Table j.vii)
- (9) Quantity per Intermediate Container Code: AAA (Appendix J.4.11)
- (10) Packing Code: A- (Table j.IX and J.IXa)
- (11) Special Marking Code: 00- (Table j.x)
- (c) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage

(d) Marking:

- (1) All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Dated 15 Dec. 2002, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive material will not identify the nature of the material.
- (2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3
- (3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee".
- (4) Military Shipping Label: Military Shipment Labels(MSLs) may be created using commercially available programs. These commercial programs can generate a MIL-STD-129 and Defense Transportation Regulation compliant MSLs and package labels. For example, the EasyForm MSL at http://www.easysoftcorp.com/products/Software/MSL.html. Insure that the ship to and mark for in-the-clear delivery address is complete including:consignees name, organization, department name, office, building, room, street address, city, state, country code, & DODAAC.
- (e) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program.

	IXCICI C
CONTINUATION SHEET	

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Name of	Offeror of	r Contractor:
---------	------------	---------------

- (f) These packaging requirements are intended to provide protection against environmentally induced corrosion and deterioration, physical and mechanical damage, and other forms of degradation during storage, multiple handling, and shipment associated with the military distribution system. The Government encourages contractors to submit requests for changes that will result in savings or improve the packaging. Please submit request for changes in accordance with the RFD clause of the contract. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing at contractors expense.
 - (g) Hazardous Materials(as applicable):
- (1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- (2) Packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

International Air Transport Association (IATA) Dangerous Goods Regulations International Maritime Dangerous Goods Code (IMDG) Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49 Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO . P4030.19/DLAM 4145.3 (for military air shipments)

- (3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.
 - (h) SUPPLEMENTAL INSTRUCTIONS: COIL TO APPROX 6 IN DIA

[End of Clause]

3 52 246-4005 INSPECTION AND ACCEPTANCE POINTS: ORIGIN (TACOM)

FEB/1995

Page 7 of 10

The Government's inspection and acceptance of the supplies offered under this order shall take place at ORIGIN. Offeror must specify below the exact name and address of his facility, or his subcontractor's facility, where supplies to be furnished under this order will be available for origin inspection

dress)
dress)

[End of Clause]

- GUARANTEED SHIPPING CHARACTERISTICS--F.O.B. DESTINATION 52.247-4458 SEP/2000 (TACOM)
- (a) The offeror is required to complete subparagraph (b)(1), (2), and (3), of this clause, for each part or component, including all of its packaging. This information will be used by the Government to perform logistics management functions such as providing item sustainment, planning (e.g. estimating storage costs), and redistribution. You are not liable if you give us wrong information, however since the DOD uses this data in-house in existing data bases and because this information may be used in contingency planning it, we request that the information provided be as accurate as possible.
- (b) Definitions of terms commonly used in the packaging and distribution environments are defined in ASTM D996 and should be consulted if any term used herein is in question.
 - (1) Unit Package:

Reference No. of Document Being Continued

Specify the type of UNIT PACKAGE for each single unit of issue: A container in direct contact with and enclosing

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Page 8 of 10

Name of Offeror or Contractor:

=	th any required protective materials(s)(e.g. item is wrapped in neutral paper, polyethylene foam cushion wof bag, and placed in a fiberboard box).
(ii)	Unit Package Exterior Size/Weight of Unit Package with contents:
	Length x Width x Depth(expressed in inches)/Weight expressed in pounds
(2) Shippi	ng Container:
(i)	Exterior Size of SHIPPING CONTAINER AND CONTENTS THEREIN:
	Length, x Width, x Height, (expressed in feet and inches)
(ii)	Number of unit packages per shipping container each
(iii)	Gross weight of Shipping container and contents Lbs.
(3) Unitiz	ed Loads:
(i)	Is the Load palletized, skidded, or some other platform device used as a base for handling and transporting as a single entity. Yes [] No []; describe:
(ii)	Number of Shipping containers per pallet/skid each.
(iii)	Weight of empty pallet, skid, platform, dolly, other device used as a base for handling and transporting materials Lbs
(iv)	Size of Unit Load(pallet/skid including shipping container(s)assembled for handling and transportation as a single entity:
	Length, x Width, x Height, (expressed in feet and inches)
(v)	Gross Weight of Unit Load Lbs;

[End of Clause]

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Page 9 of 10

Name of Offeror or Contractor:

INSTRUCTIONS, CONDITIONS, AND NOTICES TO OFFERORS

5 52.215-4850 ELECTRONIC OFFERS REQUIRED IN RESPONSE TO THIS SOLICITATION MAR/2003 (TACOM)

- (a) You must submit your offer via paperless electronic media (See Paragraph (b) below.). Unless paper copies are specifically requested elsewhere in this solicitation (in Section L), offers submitted in paper form are unacceptable. You must submit your electronic offer, and any supplemental information (such as spreadsheets, backup data, and technical information), using any of the following electronic formats:
- (1) Files readable using these Office XP or Microsoft* 97 Office Products (TACOM can currently read OFFICE 97* and lower.): Word, Excel, Powerpoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable. Executable files are unacceptable.
 - (2) Files in Adobe PDF (Portable Document Format). Scanners should be set to 200 dots per inch.
- (3) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic offer and be accessible offline.
- (4) Other electronic formats. Before preparing your offer in any other electronic format, please e-mail the buyer identified in Block 10 of the solicitation cover sheet (Government Standard Form 33), with e-mail copy-furnished to amsta-idq@tacom.army.mil, to obtain a decision as to the format's acceptability. This e-mail must be received by the buyer not later than ten calendar days before the closing date. Failure to e-mail the buyer within this timeframe to seek an alternate format's acceptability may result in rejection of your offer. All alternate methods must be at no cost to the Government.

NOTE (Compression): The above formats may be submitted in compressed form using Winzip*. Self-extracting files are not acceptable. Check with the buyer before using any product other than Winzip for file compression.

NOTE (Hyperlinks): Documents [submitted using any of the above formats] must not contain active links (hyperlinks) to any other documents that are not contained in the proposal. This includes links to live Internet web sites or web pages. All linked information must be contained within your electronic offer and be accessible offline.

NOTE (Macros): The virus scanning software used by our email systems cannot always distinguish a macro from a virus. Therefore, sending a macro embedded in an email message or an email attachment may cause the email offer to be quarantined. In that event subparagraphs (f) and (g) apply.

- (b) Acceptable media: You must submit your offer via 100 megabyte or 250 megabyte Zip*-disk, or 3 1/2 inch disk, or 650 megabyte CD ROM, E-mail, or datafax. Identify the software application, and version, that you used to create each file submitted. The word "datafax" used in this clause means "facsimilie" as defined at FAR 52.215-5.
- (1) 100 OR 250 MEGABYTE ZIP*-DISK, 3 1/2 INCH DISK, OR 650 MEGABYTE CD ROM via U.S. Mail or other carrier. Offerors shall label any and all submitted disks with the solicitation number and closing date, and the offeror's name and address and contact phone number. Envelopes containing disks must be labeled per FAR 52.215-1(c), found within the provision, "Instructions to Offerors--Competitive Acquisition", listed in Section L. Your attention is also called to the entirety of that provision--all contained therein is applicable to paperless electronic offers. In the event of multiple submitted offers, place each offer/submission on its own disk(s)(one offer can comprise multiple disks). You must also submit only one offer/submission per envelope. Notwithstanding language in Block 9 of the SF 33 cover sheet of this solicitation that may state otherwise, submit ONLY ONE (1) of each disk (no additional copies required). If you will be sending your CD or ZIP disks by any method other than US Postal Service, see the Section L provision 52.215-4003 (TACOM), entitled "Handcarried Offers," for delivery instructions.
- (2) E-MAIL. If you choose to use e-mail, address your offer to offers@tacom.army.mil. DO NOT E-MAIL OFFERS TO THE BUYER. THE SUBJECT LINE OF THE E-MAIL MUST READ: "OFFER--[solicitation number], [name of Company/offeror], CLOSES [closing date]". Maximum size of each e-mail message shall be three and one-half (3.5) megabytes. Use the file compression described in the NOTE in paragraph (a) above. You may use multiple e-mail messages for each offer/submission, however, you must annotate the subject lines as described above for each message, and number them in this manner: "Message 1 of 3, 2 of 3, 3 of 3".
- (3) DATAFAX. Faxed offers MUST BE SENT TO TACOM'S NETWORK FAX SERVER ON 1-586-574-5527. DO NOT <u>FAX</u> OFFERS TO THE BUYER. SIMILARLY, DO NOT <u>ADDRESS</u> THE FAX TO THE BUYER. YOU MUST ADDRESS THE FAX TO THE ATTENTION OF offers@tacom.army.mil AS THIS IS THE LOCATION WHERE YOUR FAX MUST BE RECEIVED. THE COVER PAGE OF THE FAX MUST CLEARLY INDICATE THAT THE FAX SHOULD BE SENT TO offers@tacom.army.mil.

Paper faxes are not acceptable. Transmit only one offer for each datafax transaction. Clearly identify the offer as such on your fax cover page or via your PC, include your company's name, and state the proper internal TACOM address: offers@tacom.army.mil. Offerors may send a fax using a personal computer or standalone fax machine, but it must be sent to the above number. If you use a standalone fax

Reference No. of Document Being Continued

PIIN/SIIN W56HZV-04-Q-0731

MOD/AMD

Page 10 of 10

Name of Offeror or Contractor:

machine, you won't receive a confirmation of receipt. See paragraph (e) below for the minimum requirements of your offer. Maximum size of datafax offers is three and one-half megabytes (3.5MB), the same limitation as that for e-mail offers. For your datafax, use the same subject line as that for e-mails as indicated above: "OFFER--[solicitation number], [name of your Company/offeror], CLOSES [closing date]".

Unless specifically instructed otherwise in this solicitation, select only one medium by which to transmit each offer. For instance, do not submit an offer via 100 or 250 megabyte Zip*-disk AND e-mail.

- (c) Lateness rules for submitted disks, e-mail, or datafax submissions are outlined in FAR 52.215-1, "Instructions to Offerors-Competitive Acquisition", listed in Section L of this solicitation. Pay particular attention to paragraph (c)(3) of that clause as it relates to the timing of e-mail or datafax submissions.
- (d) Security Note: If you choose to password-protect access to your offer, you must provide the password to TACOM at least ten days prior to submitting the protected file. Contact the buyer to arrange a means of providing the password. Passwords used only for the purpose of write protecting files need not be provided.
 - (e) Electronic offers must include, as a minimum:
- (1) The SF33 cover sheet filled out. SIGNATURE: For offers submitted via disk or CD ROM per (b)(1) above, this SF 33 cover sheet must be signed and included electronically in your disk or CD. Clearly label the disc/CD ROM as described in paragraph (b)(1) above, adding the name and title of the signer authorizing your company, your company name, and then sign the LABEL itself. Datafaxed offers also must include a signed SF 33 cover sheet. E-mailed offers must also include a signed SF 33 cover sheet that can be either faxed or scanned. If faxed to the TACOM Network Fax Server (1-586-574-5527), you must annotate that it is being submitted together with your e-mailed offer. If scanned, attach it to your e-mail offer (or first e-mail message if you are sending multiple e-mails due to length).
- (2) All applicable fill-in provisions from Sections A, B, F, and K of this solicitation. You may find Word versions of Section K provisions requiring your fill-in on our TACOM Business Opportunities webpage (http://contracting.tacom.army.mil/mastersol/sectionk.htm). You can fill them in and attach them to your offer. See the solicitation for which provisions are required. Also, Section E provisions filled in (if applicable): Inspection Point: Origin, TACOM clause 52.246-4028. All applicable fill-ins must be completed and submitted by the offeror.
 - (3) A statement of agreement to all the terms, conditions, and provisions of this solicitation.
 - (4) Any other information required by the solicitation.
 - (f) Please see FAR 15.207(c) for a description of the steps the Government shall take with regard to unreadable offers.
- (g) Offerors shall make every effort to ensure that their offer is virus-free. Offers (or portions thereof) submitted which DO reflect the presence of a virus, or which are otherwise rendered unreadable by damage in either physical or electronic transit, shall be treated as "unreadable" per paragraph (f) above.

*Registered trademark

[End of Provision]